

MODEL:NBV-PI0F6X5 VMS-A MESSAGE SIGN



Variable Message Signs (VMS)

MODEL:NBV-P10F6X5

The VMS display screen is an intelligent variable message screen and an electronic intelligent display panel for road traffic management. It is not only used in traditional traffic management fields such as expressways and urban roads, but also gradually expands to areas such as public transportation, logistics, advertising, etc. In the transportation field, it can serve as a traffic information board, traffic guidance screen, road sign, lifting warning screen, etc., providing information such as road conditions, speed limits, and warnings. In the advertising field, it can be used as a mobile advertising carrier.


FEATURES

- ▶ ·Energy saving and environmental protection, "0" noise, "0" pollution;
- ▶ ·Easy operation and maintenance;
- ▶ ·Quick and easy deployment;
- ▶ ·Compact structure for long distance transportation;



MODEL:NBV-PIOF6X5





VMS-A MESSAGE SIGN



VMS Display Screen Parameters:

- ▶ Dimensions (height x width in): 1660 x 1020 mm
- ▶ Screen resolution (height x width): 160 x 96 pixels
- ▶ Display color: Full color (red, green, blue, white, etc.)
- ▶ Pixel spacing (mm): 10
- ▶ Module type: P10 outdoor waterproof screen
- ▶ Module brightness: $\geq 8000\text{cd/m}^2$
- ▶ Pixel composition: 1R1G1B Red: Jingyuan , Green: Shilan, Blue: Shilan
- ▶ Single LED rated current luminous intensity: R: 800mcd, G: 2500mcd, B: 450mcd
- ▶ Viewing angle: 110 degrees horizontally, 50 degrees vertically
- ▶ Display content: text, images, GIF, video
- ▶ Parameter settings: Supports Android (APP), Apple (IOS), PC (PC)
- ▶ Rated voltage: 24V
- ▶ Whole machine power consumption: $\leq 1060\text{W}$
- ▶ Temperature range: -20°C $\rightarrow$ $+60^{\circ}\text{C}$
- ▶ Protection level: IP 54
- ▶ Lifespan: 100000 hours
- ▶ Communication methods: Ethernet or WIFI
- ▶ APP setting parameters
- ▶ Adjustable brightness: 1-16 levels

SIZE:



MODEL:NBV-PIOF6X5

VMS-A MESSAGE SIGN

Application:

NobTra Trailer mounter arrow board is suitable for use as a warning sign in construction sites, highways to further improve safety between workplaces.



MODEL:NBV-PIOF6X5
VMS-A MESSAGE SIGN



SHENZHEN NOBLE OPTO CO.,LTD

TEL:+86-0755-27651483 • FAX:+86-0755-27651483

<https://www.nobleled.com>